

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 3/9/2017 Revision date: 1/8/2024 Supersedes: 1/2/2018 Version: 2.3

SECTION 1: Identification	
1.1. Identification	
Product form Trade name Product code	: Mixture : Fiber Rinse : 1330
1.2. Recommended use and restrictions on	use
Recommended use	: Detergent, Carpet cleaning (liquids)
1.3. Supplier	
Synthetic Labs 24 Victory Lane Dracut, MA, 01826 United States T 800.255.4050 - F 978.957.5122 www.syntecpro.com	
1.4. Emergency telephone number	
Emergency number	: Infotrac 24 Hour Medical Emergency Number: 1-800-535-5053
SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixtu GHS US classification	Ire
Skin corrosion/irritation Category 1A Serious eye damage/eye irritation Category 1	Causes severe skin burns and eye damage Causes serious eye damage
2.2. GHS Label elements, including precaut	ionary statements
GHS US labeling	
Hazard pictograms (GHS US)	
Signal word (GHS US) Hazard statements (GHS US) Precautionary statements (GHS US)	 Danger Causes severe skin burns and eye damage Causes serious eye damage Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Store locked up.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Glycolic Acid	CAS-No.: 79-14-1		Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation:vapour), H331 Skin Corr. 1A, H314 Eye Dam. 1, H318

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact	 Call a physician immediately. Remove person to fresh air and keep comfortable for breathing. Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion 4.2. Most important symptoms and effects (: Rinse mouth. Do not induce vomiting. Call a physician immediately.
Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	: Burns. : Serious damage to eyes. : Burns.
4.3. Immediate medical attention and specia	al treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing	media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from the chem	ical
Hazardous decomposition products in case of fire	· Toxic fumes may be released

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Mor	nday, March 26, 2012 / Rules and Regulations
5.3. Special protective equipment and	precautions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release me	easures
6.1. Personal precautions, protective	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for contain	ment and cleaning up
Methods for cleaning up Other information	Take up liquid spill into absorbent material.Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product Always wash hands after handling the product.

7.2. Conditions for safe storage, including a	ny incompatibilities
Storage conditions	: Store locked up. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Fiber Rinse	
No additional information available	
Glycolic Acid (79-14-1)	
No additional information available	
8.2. Appropriate engineering controls	
Appropriate engineering controls Environmental exposure controls	Ensure good ventilation of the work station.Avoid release to the environment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.3. Individual protection measures/Personal protective equipment

Hand protection:
Protective gloves
Eye protection:
Safety glasses
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Color	: Blue
Odor	: Fresh
Odor threshold	: No data available
рН	: 2
pH solution	: 2 – 3
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Density	: 1.03 g/m ³
Molecular mass	: 1.03 g/mol
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects	3
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified Not classified Not classified
Glycolic Acid (79-14-1)	
LD50 oral rat	≈ 1950 mg/kg
LC50 Inhalation - Rat (Vapours)	3.6 mg/l/4h
ATE US (oral)	500 mg/kg body weight
ATE US (vapors)	3.6 mg/l/4h
Skin corrosion/irritation	: Causes severe skin burns. pH: 2
Glycolic Acid (79-14-1)	
рН	1
Serious eye damage/irritation	: Causes serious eye damage. pH: 2
Glycolic Acid (79-14-1)	
рН	1
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/effects after skin contact
Symptoms/effects after eye contact
Symptoms/effects after ingestion

- : Burns.
 - : Serious damage to eyes.
 - : Burns.

12.1. Toxicity		
Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms.	
Glycolic Acid (79-14-1)		
LC50 - Fish [1]	> 5000 mg/l (LC50; 96 h)	
EC50 - Crustacea [1]	141 mg/l (EC50; 48 h)	
Threshold limit - Algae [1]	44 mg/l (EC50; 72 h)	
12.2. Persistence and degradability		
Glycolic Acid (79-14-1)		
Persistence and degradability	Readily biodegradable in water. No (test)data on mobility of the components available.	
Biochemical oxygen demand (BOD)	0.175 g O ₂ /g substance	
ThOD	0.63 g O₂/g substance	
BOD (% of ThOD)	0.28	
12.3. Bioaccumulative potential		
Glycolic Acid (79-14-1)		
Partition coefficient n-octanol/water (Log Pow)	-1.11	
Bioaccumulative potential	Bioaccumulation: not applicable.	
12.4. Mobility in soil		
vo additional information available		

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport in	formation	
14.1. UN number		
DOT NA No	: UN1760	
UN-No. (TDG)	: Not applicable	
UN-No. (IMDG)	: 1760	
UN-No. (IATA)	: 1760	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monda	y, March 26, 2012 / Rules and Regulations
14.2. UN proper shipping name	
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	 Corrosive liquids, n.o.s. Not applicable CORROSIVE LIQUID, N.O.S. Corrosive liquid, n.o.s.
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT) Hazard labels (DOT)	: 8 : 8 CORROSIVE 8
TDG Transport hazard class(es) (TDG)	: Not applicable
IMDG Transport hazard class(es) (IMDG) Hazard labels (IMDG)	
IATA Transport hazard class(es) (IATA) Hazard labels (IATA)	
14.4. Packing group	
Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA)	: II : Not applicable : II : II
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT UN-No.(DOT)	: UN1760

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	: B2 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks are
	not authorized. IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T11 - 6 178.274(d)(2) Normal
	 TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively. TP27 - A portable tank having a minimum test pressure of 4 bar (400 kPa) may be used provided the calculated test pressure is 4 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 30 L
DOT Vessel Stowage Location	B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
TDG Emergency Response Guide (ERG) Number	: 154
IMDG	
Special provision (IMDG)	: 274
Packing instructions (IMDG) IBC packing instructions (IMDG)	: P001 : IBC02
Tank instructions (IMDG)	: T11
Tank special provisions (IMDG)	: TP2, TP27
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES
Stowage category (IMDG)	: B
Stowage and handling (IMDG)	: SW2
Properties and observations (IMDG)	: Causes burns to skin, eyes and mucous membranes.
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA)	: Y840 : 0.5L
PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA)	: 0.5L : 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
Special provision (IATA)	: A3
ERG code (IATA)	: 8L

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Glycolic Acid	79-14-1	Present	Active	

15.2. International regulations

CANADA

Glycolic Acid (79-14-1)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information		
according to Federal Register / Vol. 77, N Revision date	lo. 58 / Monday, March 26, 2012 / Rules and Regulations : 1/8/2024	
Hazard Rating Health Flammability Physical	 2 Moderate Hazard - Temporary or minor injury may occur 0 Minimal Hazard - Materials that will not burn 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives. 	

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.