

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 3/9/2017 Revision date: 5/3/2017 Supersedes: 3/21/2017 Version: 1.4

SECTION 1: Identification	
1.1. Identification	
Product form Trade name Product code	: Mixture : Master Suds : 2798
1.2. Recommended use and restrictions o	on use
Recommended use	: Laundry, Detergent
1.3. Supplier	
Synthetic Labs 24 Victory Lane Dracut, MA, 01826 United States T 800.255.4050 - F 978.957.5122 www.syntecpro.com	
1.4. Emergency telephone number	
Emergency number	: Infotrac 24 Hour Medical Emergency Number: 1-800-535-5053
SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mix	vturo
GHS US classification	XUIE
Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 1	Causes skin irritation Causes serious eye damage
2.2. GHS Label elements, including preca	utionary statements
GHS US labeling Hazard pictograms (GHS US)	
Signal word (GHS US) Hazard statements (GHS US) Precautionary statements (GHS US)	 Danger Causes skin irritation Causes serious eye damage Wash hands, forearms and face thoroughly after handling. Wear eye protection, protective gloves. If on skin: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. Specific treatment (see supplemental first aid instruction on this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

2.3. Other hazards which do not result in classification

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Disodium Metasilicate	CAS-No.: 6834-92-0		Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1B, H314 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact	 Call a physician immediately. Remove person to fresh air and keep comfortable for breathing. Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact First-aid measures after ingestion	 Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. Rinse mouth. Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and ef	fects (acute and delayed)
Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	: Burns. : Serious damage to eyes. : Burns.
4.3. Immediate medical attention and	special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam.	
5.2. Specific hazards arising from the chemical		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Special protective equipment and precautions for fire-fighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measure	res
6.1. Personal precautions, protective equip	ment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containment	and cleaning up
Methods for cleaning up Other information	Mechanically recover the product.Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	

SECTION 7: Handling and stora	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, in	cluding any incompatibilities

Storage	conditions
otorugo	oonaniono

: Store locked up. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
Master Suds		
No additional information available		
Disodium Metasilicate (6834-92-0)		
No additional information available		
8.2. Appropriate engineering controls		
Appropriate engineering controls Environmental exposure controls	Ensure good ventilation of the work station.Avoid release to the environment.	
8.3. Individual protection measures/Pers	sonal protective equipment	
Hand protection:		
Protective gloves		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Eye protection: Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder.
Color	: white
Odor	: Fresh
Odor threshold	: No data available
рН	: No data available
pH solution	: 11.5 – 12.5
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: Not applicable
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosion limits	: Not applicable
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (dermal) :	Not classified Not classified Not classified
Disodium Metasilicate (6834-92-0)	
LD50 oral rat	1152 – 1349 mg/kg body weight (Rat, Male / female, Experimental value, Oral, 7 day(s))
LD50 dermal rat	> 5000 mg/kg body weight (EPA OPPTS 870.1200: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 2.06 mg/l (EPA OPPTS 870.1300: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
ATE US (oral)	1152 mg/kg body weight
ATE US (dust, mist)	1.5 mg/l/4h
Skin corrosion/irritation :	Causes skin irritation.
Disodium Metasilicate (6834-92-0)	
рН	No data available in the literature
Serious eye damage/irritation :	Causes serious eye damage.
Disodium Metasilicate (6834-92-0)	
рН	No data available in the literature
Respiratory or skin sensitization :	Not classified
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified.
Reproductive toxicity :	Not classified
	Not classified
Disodium Metasilicate (6834-92-0)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure :	Not classified
Aspiration hazard :	Not classified
Viscosity, kinematic :	Not applicable

Safety Data Sheet

12.1 Toxicity

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Disodium Metasilicate (6834-92-0)	
Viscosity, kinematic	Not applicable (solid)
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

SECTION 12: Ecological information

Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms.
Disodium Metasilicate (6834-92-0)	
LC50 - Fish [1]	210 mg/l (ISO 7346-1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value)
EC50 - Crustacea [1]	1700 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

12.2. Persistence and degradability

Disodium Metasilicate (6834-92-0)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

12.3. Bioaccumulative potential

Disodium Metasilicate (6834-92-0)		
Bioaccumulative potential	Not bioaccumulative.	
12.4. Mobility in soil		
Disodium Metasilicate (6834-92-0)		
Surface tension	No data available in the literature	
	Low potential for adsorption in soil.	

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

14.1. UN number

Not regulated for transport

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.2. UN proper shipping name		
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	 Not applicable Not applicable Not applicable Not applicable 	
14.3. Transport hazard class(es)		
DOT Transport hazard class(es) (DOT)	: Not applicable	
TDG Transport hazard class(es) (TDG)	: Not applicable	
IMDG Transport hazard class(es) (IMDG)	: Not applicable	
IATA Transport hazard class(es) (IATA)	: Not applicable	
14.4. Packing group		
Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA)	 Not applicable Not applicable Not applicable Not applicable Not applicable 	
14.5. Environmental hazards		
Other information	: No supplementary information available.	
14.6. Special precautions for user		
DOT No data available		
TDG No data available		
IMDG No data available		
IATA No data available		
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code		
Not applicable		
SECTION 15: Regulatory information		
45.4 US Endered regulations		

15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Disodium Metasilicate	6834-92-0	Present	Active	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

Disodium Metasilicate	(6834-92-0)
-----------------------	-------------

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information				
according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 5/3/2017				
Hazard Rating Health	· 2 Moderate Hazard - Tomporary or miner injung may occur			
Flammability Physical	 2 Moderate Hazard - Temporary or minor injury may occur 0 Minimal Hazard - Materials that will not burn 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT 			
Filysical	react with water, polymerize, decompose, condense, or self-react. Non-Explosives.			

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.