

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 3/9/2017 Revision date: 1/8/2024 Supersedes: 3/16/2017 Version: 2.2

SECTION 1: Identification	
1.1. Identification	
Product form Trade name Product code	: Mixture : CIP Cleaner : 2888
1.2. Recommended use and restrictions of	n use
Recommended use	: Heavy-duty detergent
1.3. Supplier	
Synthetic Labs 24 Victory Lane Dracut, MA, 01826 United States T 800.255.4050 - F 978.957.5122 www.syntecpro.com	
1.4. Emergency telephone number	
Emergency number	: Infotrac 24 Hour Medical Emergency Number: 1-800-535-5053
2.1. Classification of the substance or mix GHS US classification	
Skin corrosion/irritation Category 1A Serious eye damage/eye irritation Category 1	Causes severe skin burns and eye damage Causes serious eye damage
2.2. GHS Label elements, including preca	utionary statements
GHS US labeling	
Hazard pictograms (GHS US)	
Signal word (GHS US) Hazard statements (GHS US)	 Danger Causes severe skin burns and eye damage Causes serious eye damage
Precautionary statements (GHS US)	 Do not breathe dus/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Store locked up.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Sodium hydroxide	CAS-No.: 1310-73-2		Acute Tox. 1 (Oral), H300 Skin Corr. 1, H314 Eye Dam. 1, H318

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures			
4.1. Description of first aid measures			
First-aid measures general	: Call a physician immediately.		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.		
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.		
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.		
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.		
4.2. Most important symptoms and effects (acute and delayed)			
Symptoms/effects after skin contact	: Burns.		
Symptoms/effects after eye contact	: Serious damage to eyes.		
Symptoms/effects after ingestion	: Burns.		
4.3. Immediate medical attention and special treatment, if necessary			
Treat symptomatically.			

SECTION 5: Fire-fighting measures				
5.1. Suitable (and unsuitable) extinguishing	g media			
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.			
5.2. Specific hazards arising from the chemical				
Hazardous decomposition products in case of fire	· Toxic fumes may be released			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	-
5.3. Special protective equipment and	d precautions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release m	easures
6.1. Personal precautions, protective	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up Other information	: Take up liquid spill into absorbent material. : Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including a	iny	/ incompatibilities
Storage conditions	÷	Store locked up. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

CIP Cleaner		
No additional information available		
Sodium hydroxide (1310-73-2)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Sodium hydroxide	
ACGIH OEL Ceiling	2 mg/m³	
Remark (ACGIH)	URT, eye, & skin irr	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium hydroxide (1310-73-2)		
USA - OSHA - Occupational Exposure Limits		
Local name	Sodium hydroxide	
OSHA PEL (TWA) [1]	2 mg/m ³	
8.2. Appropriate engineering controls		
Appropriate engineering controls	Ensure good ventilation of the work station.	
	Avoid release to the environment.	
8.3. Individual protection measures/Personal p	protective equipment	
Hand protection:		
Protective gloves		
Eye protection:		
Safety glasses		
Skin and body protection:		
Wear suitable protective clothing		
Respiratory protection:		
In case of insufficient ventilation, wear suitable respiratory equipment		
Porsonal protective equipment symbol(s):		

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Color	: clear
Odor	: odorless
Odor threshold	: No data available
рН	: 14
pH solution	: 13.5 – 14
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Density	: 1.04 g/m³
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects	
Acute toxicity (dermal) : Acute toxicity (inhalation) :	Not classified Not classified Not classified
Sodium hydroxide (1310-73-2)	
ATE US (oral)	1.111 mg/kg body weight
Skin corrosion/irritation :	Causes severe skin burns. pH: 14
Sodium hydroxide (1310-73-2)	
рН	14 (5 %)
Serious eye damage/irritation :	Causes serious eye damage. pH: 14
Sodium hydroxide (1310-73-2)	
рН	14 (5 %)
Respiratory or skin sensitization :	Not classified
Germ cell mutagenicity :	Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard Viscosity, kinematic	 Not classified Not data available
Sodium hydroxide (1310-73-2)	
Viscosity, kinematic	No data available in the literature
Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	Burns.Serious damage to eyes.Burns.

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general :	Before neutralisation, the product may represent a danger to aquatic organisms.	
Sodium hydroxide (1310-73-2)		
LC50 - Fish [1]	189 mg/l (48 h, Leuciscus idus, Fresh water, Experimental value)	
EC50 - Crustacea [1]	40.4 mg/l (48 h, Ceriodaphnia sp., Experimental value, Locomotor effect)	
12.2. Persistence and degradability		
Sodium hydroxide (1310-73-2)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
12.3. Bioaccumulative potential		
Sodium hydroxide (1310-73-2)		
Bioaccumulative potential	Not bioaccumulative.	
12.4. Mobility in soil		
Sodium hydroxide (1310-73-2)		
Surface tension	No data available in the literature	
Ecology - soil	No (test)data on mobility of the substance available.	
12.5. Other adverse effects		

No additional information available

SECTION 13: Disposal considerations	
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information	
14.1. UN number	
DOT NA No UN-No. (TDG) UN-No. (IMDG) UN-No. (IATA)	: UN1760 : Not applicable : 1760 : 1760
14.2. UN proper shipping name	
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	 Corrosive liquids, n.o.s. Not applicable CORROSIVE LIQUID, N.O.S. Corrosive liquid, n.o.s.
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT) Hazard labels (DOT)	: 8 : 8 CORROSIVE
TDG Transport hazard class(es) (TDG)	: Not applicable
IMDG Transport hazard class(es) (IMDG) Hazard labels (IMDG)	: 8 : 8
IATA Transport hazard class(es) (IATA) Hazard labels (IATA)	: 8 : 8
14.4. Packing group	
Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA)	: II : Not applicable : II : II
14.5. Environmental hazards	
Other information	: No supplementary information available.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.6. Special precautions for user

14.6. Special precautions for user	
DOT	
UN-No.(DOT)	: UN1760
DOT Special Provisions (49 CFR 172.102)	: B2 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks are
	not authorized.
	IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite
	(31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110
	kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.
	T11 - 6 178.274(d)(2) Normal 178.275(d)(3)
	TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the
	following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the
	temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the
	maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For
	liquids transported under ambient conditions may be calculated using the formula: (image)
	Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59
	F) and 50 C (122 F), respectively.
	TP27 - A portable tank having a minimum test pressure of 4 bar (400 kPa) may be used provided
	the calculated test pressure is 4 bar or less based on the MAWP of the hazardous material, as
	defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 1L
DOT Quantity Limitations Cargo aircraft only (49	: 30 L
CFR 175.75)	
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a
5	passenger vessel carrying a number of passengers limited to not more than the larger of 25
	passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on
	passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this
	section is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
TDG	
Emergency Response Guide (ERG) Number	: 154
3712(2)	
IMDG	
Special provision (IMDG)	: 274
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG) Tank instructions (IMDG)	: IBC02 : T11
Tank special provisions (IMDG)	· TP2, TP27
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES
Stowage category (IMDG)	: B
Stowage and handling (IMDG)	: SW2
Properties and observations (IMDG)	: Causes burns to skin, eyes and mucous membranes.
IATA PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
Special provision (IATA)	: A3

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ERG code (IATA)

: 8L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Sodium hydroxide	1310-73-2	Present	Active	

Sodium hydroxide (1310-73-2)	
Not subject to reporting requirements of the United States SARA Section 313	
CERCLA RQ	1000 lb
15.2 International regulations	

CANADA

Sodium hydroxide (1310-73-2)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations	
Component	State or local regulations
Sodium hydroxide(1310-73-2)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information		
according to Federal Register / Vol. 77, No. 58 Revision date	/ Monday, March 26, 2012 / Rules and Regulations : 1/8/2024	
Hazard Rating		
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given	
Flammability	: 0 Minimal Hazard - Materials that will not burn	
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.