

## SECTION 1: Identification

### 1.1. Identification

Product form : Mixture  
Trade name : XT-2  
Product code : 4635B

### 1.2. Recommended use and restrictions on use

Recommended use : Foaming agents, Vehicle cleaning/vehicle care product

### 1.3. Supplier

Synthetic Labs  
24 Victory Lane  
Dracut, MA, 01826  
United States  
T 800.255.4050 - F 978.957.5122  
[www.360carwashsolutions.com](http://www.360carwashsolutions.com)

### 1.4. Emergency telephone number

Emergency number : 24 Hour Medical Emergency Number: 1-800-535-5053

## SECTION 2: Hazard(s) identification


### 2.1. Classification of the substance or mixture

#### GHS US classification

|   |                               |
|---|-------------------------------|
| Skin corrosion/irritation Category 2          | Causes skin irritation        |
| Serious eye damage/eye irritation Category 2A | Causes serious eye irritation |

### 2.2. GHS Label elements, including precautionary statements

#### GHS US labeling

|                                   |   |
|-----------------------------------|---|
| Hazard pictograms (GHS US)        | :    |
| Signal word (GHS US)              | : Warning   |
| Hazard statements (GHS US)        | : Causes skin irritation<br>Causes serious eye irritation   |
| Precautionary statements (GHS US) | : Wash hands, forearms and face thoroughly after handling.<br>Wear protective gloves/protective clothing/eye protection/face protection.<br>If on skin: Wash with plenty of water.<br>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.<br>Specific treatment (see supplemental first aid instruction on this label).<br>If skin irritation occurs: Get medical advice/attention.<br>If eye irritation persists: Get medical advice/attention.<br>Take off contaminated clothing and wash it before reuse. |

### 2.3. Other hazards which do not result in classification

No additional information available

# XT-2

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 2.4. Unknown acute toxicity (GHS US)

No additional information available

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                             | Product identifier  | %      | GHS US classification   |
|----------------------------------|---------------------|--------|---|
| sodium dodecylbenzene sulfonate  | CAS-No.: 25155-30-0 | 5 – 10 | Acute Tox. 4 (Oral), H302<br>Acute Tox. 2 (Inhalation:dust,mist),<br>H330                             |
| Sodium (C14-16) olefin sulfonate | CAS-No.: 68439-57-6 | 1 – 5  | Acute Tox. 4 (Oral), H302<br>Acute Tox. 4 (Dermal), H312<br>Eye Irrit. 2A, H319<br>Eye Irrit. 2, H319 |

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

|                                       |  |
|---------------------------------------|--|
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing.   |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.   |
| First-aid measures after eye contact  | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion    | : Call a poison center/doctor/physician if you feel unwell.  |

### 4.2. Most important symptoms and effects (acute and delayed)

|                                     |                   |
|-------------------------------------|-------------------|
| Symptoms/effects after skin contact | : Irritation.     |
| Symptoms/effects after eye contact  | : Eye irritation. |

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

|                              |  |
|------------------------------|--|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
|------------------------------|--|

### 5.2. Specific hazards arising from the chemical

|  |                                |
|--|--------------------------------|
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |
|--|--------------------------------|

### 5.3. Special protective equipment and precautions for fire-fighters

|                                |  |
|--------------------------------|--|
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
|--------------------------------|--|

# XT-2

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.

Handling temperature : 40 – 100

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.  
Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### XT-2

No additional information available

##### sodium dodecylbenzene sulfonate (25155-30-0)

No additional information available

##### Sodium (C14-16) olefin sulfonate (68439-57-6)

No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

# XT-2

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 8.3. Individual protection measures/Personal protective equipment

|  |
|--|
| <b>Hand protection:</b>  |
| Protective gloves  |
| <b>Eye protection:</b>   |
| Safety glasses   |
| <b>Skin and body protection:</b>   |
| Wear suitable protective clothing  |
| <b>Respiratory protection:</b>   |
| In case of insufficient ventilation, wear suitable respiratory equipment |

Personal protective equipment symbol(s):



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                         |
|---|-------------------------|
| Physical state                                  | : Liquid                |
| Appearance                                      | : Liquid.               |
| Color   | : Blue                  |
| Odor  | : lemon                 |
| Odor threshold                                  | : No data available     |
| pH  | : 7                     |
| pH solution                                     | : 7 – 8                 |
| Melting point                                   | : Not applicable        |
| Freezing point                                  | : No data available     |
| Boiling point                                   | : No data available     |
| Flash point                                     | : No data available     |
| Relative evaporation rate (butyl acetate=1)     | : No data available     |
| Flammability (solid, gas)                       | : Not applicable.       |
| Vapor pressure                                  | : No data available     |
| Relative vapor density at 20°C                  | : No data available     |
| Relative density                                | : No data available     |
| Density   | : 1.01 g/m <sup>3</sup> |
| Solubility                                      | : No data available     |
| Partition coefficient n-octanol/water (Log Pow) | : No data available     |
| Auto-ignition temperature                       | : No data available     |
| Decomposition temperature                       | : No data available     |
| Viscosity, kinematic                            | : No data available     |
| Viscosity, dynamic                              | : No data available     |
| Explosion limits                                | : No data available     |
| Explosive properties                            | : No data available     |
| Oxidizing properties                            | : No data available     |

### 9.2. Other information

No additional information available

# XT-2

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### sodium dodecylbenzene sulfonate (25155-30-0)

|                       |   |
|-----------------------|---|
| LD50 oral rat         | 1080 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))             |
| LD50 dermal rat       | > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) |
| LC50 Inhalation - Rat | 0.31 mg/l (4 h, Rat, Male, Experimental value, Inhalation (aerosol), 14 day(s))   |
| ATE US (oral)         | 1080 mg/kg body weight  |
| ATE US (vapors)       | 0.31 mg/l/4h  |
| ATE US (dust, mist)   | 0.31 mg/l/4h  |

#### Sodium (C14-16) olefin sulfonate (68439-57-6)

|                    |                        |
|--------------------|------------------------|
| LD50 oral rat      | 2000 mg/kg             |
| LD50 dermal rabbit | 2000 mg/kg             |
| ATE US (oral)      | 2000 mg/kg body weight |
| ATE US (dermal)    | 2000 mg/kg body weight |

Skin corrosion/irritation : Causes skin irritation.  
pH: 7

#### sodium dodecylbenzene sulfonate (25155-30-0)

|    |   |
|----|---|
| pH | 7 – 10.5 (0.1 %, 25 °C, EPA OPPTS 830.7000: pH) |
|----|---|

# XT-2

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Sodium (C14-16) olefin sulfonate (68439-57-6) |         |
|---|---------|
| pH  | 5 – 6.5 |

Serious eye damage/irritation : Causes serious eye irritation.  
pH: 7

| sodium dodecylbenzene sulfonate (25155-30-0) |   |
|--|---|
| pH   | 7 – 10.5 (0.1 %, 25 °C, EPA OPPTS 830.7000: pH) |

| Sodium (C14-16) olefin sulfonate (68439-57-6) |         |
|---|---------|
| pH  | 5 – 6.5 |

Respiratory or skin sensitization : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified  
Aspiration hazard : Not classified  
Viscosity, kinematic : No data available

| sodium dodecylbenzene sulfonate (25155-30-0) |                                     |
|--|-------------------------------------|
| Viscosity, kinematic                         | No data available in the literature |

Symptoms/effects after skin contact : Irritation.  
Symptoms/effects after eye contact : Eye irritation.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

| sodium dodecylbenzene sulfonate (25155-30-0) |  |
|--|--|
| LC50 - Fish [1]                              | 3.2 – 5.6 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Daily renewal, Fresh water, Experimental value, Lethal)          |
| EC50 - Crustacea [1]                         | 6.3 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Lethal)                        |
| EC50 72h - Algae [1]                         | 65.4 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Growth rate) |

### 12.2. Persistence and degradability

| sodium dodecylbenzene sulfonate (25155-30-0) |                                 |
|--|---------------------------------|
| Persistence and degradability                | Readily biodegradable in water. |

### 12.3. Bioaccumulative potential

| sodium dodecylbenzene sulfonate (25155-30-0)    |   |
|---|---|
| BCF - Fish [1]                                  | 130 l/kg (Equivalent or similar to OECD 305, 3 day(s), Leuciscus idus, Semi-static system, Fresh water, Experimental value) |
| Partition coefficient n-octanol/water (Log Pow) | 1.96 (Experimental value, Equivalent or similar to OECD 107, 25 °C)   |
| Bioaccumulative potential                       | Low potential for bioaccumulation (BCF < 500).  |

# XT-2

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.4. Mobility in soil

#### sodium dodecylbenzene sulfonate (25155-30-0)

|  |                                     |
|--|-------------------------------------|
| Surface tension  | 29.3 – 31.8 mN/m (25 °C, 0.012 %)   |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.96 (log Koc, Calculated value)    |
| Ecology - soil   | Low potential for mobility in soil. |

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

### 14.1. UN number

Not regulated for transport

### 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not applicable  
Proper Shipping Name (TDG) : Not applicable  
Proper Shipping Name (IMDG) : Not applicable  
Proper Shipping Name (IATA) : Not applicable

### 14.3. Transport hazard class(es)

**DOT**  
Transport hazard class(es) (DOT) : Not applicable

**TDG**  
Transport hazard class(es) (TDG) : Not applicable

**IMDG**  
Transport hazard class(es) (IMDG) : Not applicable

**IATA**  
Transport hazard class(es) (IATA) : Not applicable

### 14.4. Packing group

Packing group (DOT) : Not applicable  
Packing group (TDG) : Not applicable  
Packing group (IMDG) : Not applicable  
Packing group (IATA) : Not applicable

### 14.5. Environmental hazards

Other information : No supplementary information available.

# XT-2

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 14.6. Special precautions for user

#### DOT

No data available

#### TDG

No data available

#### IMDG

No data available

#### IATA

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

| Name                             | CAS-No.    | Listing     | Commercial status | Flags |
|----------------------------------|------------|-------------|-------------------|-------|
| sodium dodecylbenzene sulfonate  | 25155-30-0 | Present     | Active            |       |
| Sodium (C14-16) olefin sulfonate | 68439-57-6 | Not present | -                 |       |

#### sodium dodecylbenzene sulfonate (25155-30-0)

Not subject to reporting requirements of the United States SARA Section 313

CERCLA RQ

1000 lb

### 15.2. International regulations

#### CANADA

#### sodium dodecylbenzene sulfonate (25155-30-0)

Listed on the Canadian DSL (Domestic Substances List)

#### Sodium (C14-16) olefin sulfonate (68439-57-6)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

#### EU-Regulations

No additional information available

#### National regulations

No additional information available

### 15.3. US State regulations

| Component                                   | State or local regulations   |
|---|--|
| sodium dodecylbenzene sulfonate(25155-30-0) | U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List |



# XT-2

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 3/23/2017

#### Hazard Rating

|              |   |
|--------------|---|
| Health       | : 1 Slight Hazard - Irritation or minor reversible injury possible  |
| Flammability | : 0 Minimal Hazard - Materials that will not burn   |
| Physical     | : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives. |

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.