



High Pressure Performance Cleaners



PowerDegreaser

Heavy Duty Pressure Wash Kit

CORE 3

Core 3: Personal Attention

Every customer requires special attention and has their own demands put on them. Our staff will design and implement a program designed to fit your needs.

Core 3: Experience

With our full staff of formulators, chemists, & marketing professionals we have been bringing cutting edge products to market for over 70 years.

Core 3: Technology

Through daily contact with industry professionals, we are continuously updating and improving our products to make sure you perform at your best.

Synthetic Labs offers industry-leading solutions for businesses and professionals who demand exceptional results.



DEGREASER

Power Degreaser

Heavy Duty Pressure Wash & Equipment Cleaner Kit

What is Power Degreaser?

A fortified heavy duty 10% butyl based spray cleaner for removal of heavy grease and oils from surfaces. Penetrates deep into surfaces from painted walls to masonry, brick, ceramic tile and stainless steel to remove stains. Contains no acids, petroleum hydrocarbons, or amines. This product is great to use on equipment, concrete and surfaces where mechanical grease is a problem. Emulsifies immediately for quick and easy removal.

Benefits:

- Heavily fortified with butyl and alkali.
- Contains special penetrating agents for carbon removal.
- Removes grease, heavy soils, dirt, and all stubborn stains.
- Can handle the toughest cleaning and degreasing jobs.
- Enhanced with butyl for optimal cleaning performance.
- Highly versatile in usage and dilutions.
- Can be applied through sprayers, by hand, or through pressure machines.

Instructions:

Always read the SDS before handling this or any chemical. Always prewet surfaces before applying chemical. Apply recommended dilution of chemicals to the surface from the bottom to the top of the surface being cleaned. Brushing may be required if there is a heavy build up of grease and grime. Before the detergent has the opportunity to dry, rinse with fresh water from the top down, removing all the detergent. Allow to dry. If the product dries on polished aluminum or glass, streaking and dulling may occur. If unsure of the dilution you want to use, always start on the weaker side and go stronger till you find the dilution needed to clean the particular application.

To mix the kit:

Add part #1 and Part #2 to 100 gallons of warm water. This should make a 2-55 gallon drums of solution. This premixed solution should now be used in the cleaning process at:

Manual or Automated Dilution Recommendations:

Truck Washing	10-60:1
Equipment Cleaning	10-60:1
Surface Cleaning	10-60:1

Available Packages

2690-P1	Powder Part 1
2691-P2	Liquid Part 2
2692-P3	Liquid Part 3

Tech Specs:

Color.....Green
 Fragrance.....Faint
 Form.....Liquid
 Phosphates.....None
 Flash Point.....212°F
 pH.....13.5
 Specific Gravity.....1.03
 Viscosity.....Thin
 Foam.....Moderate
 Biodegradable.....100%
 Shelf Life.....1 Year



Toll Free: 800-255-4050

24 Victory Lane, Dracut, MA 01826

www.syntecpro.com