

AUTOWORX

COMPLETE AUTOMOTIVE CLEANING SOLUTIONS





Synthetic Labs offers industry-leading solutions for businesses and professionals who demand exceptional results.

Synthetic Labs Complete Automotive Cleaning Solutions

Since the mid-1980s Synthetic Labs has been manufacturing innovative, cutting edge car wash products, becoming a respected and leader in the industry. Synthetic Labs utilizes the latest formulation technologies and are continually improving product performance, increasing cost efficiency and maximizing our clients profits by reducing service related expenses. Economically priced, coupled with high performance, our premium Line of car wash solutions is the result of this experience.

Our professional car wash line includes products for every aspect of the industry from Full Service to Automatic Car Wash, to Manual Wash Systems; all are formulated and packaged to Synthetic Labs strict quality standards, as well as meeting the requirements and specifications of its partners. Synthetic Labs partners benefit from product support, marketing assistance, and technical sales assistance, provided by our in house full service team. Synthetic Labs high standards are reflected in our high performance and low cost complete line of products.



CarWash
products



Detailing
products



Dealership
products

PRESOAKS

HIGH PH



Advantage

Ref No. 4624

Premium High Foaming Presoak

A fast rinsing alkaline presoak detergent that will provide quick and effective results. Starts breaking down road film on contact. Contains chelating agents and emulsifier for hard water applications. Specially formulated for operators who need a one step fast acting product. Also great for self serve prep guns.

Recommended Application: Automated Rollover

pH: 14

Dilution: 1:120-1:250



Boost

Ref No. 4623

High Alkaline Foaming Presoak

An economical highly alkaline presoak detergent that will provide quick and effective results. Starts breaking down road film on contact, preparing the surfaces for the brush cycle. Provides visual experience while lubricating brushes. Contains chelating agents for hard water applications. Also great for self serve prep guns.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 14

Dilution: 1:200-1:400



Breakdown

Ref No. 4621

Premium High Alkaline Foaming Presoak Plus Surface Enhancers

Superior alkaline detergent designed specifically for use as the high pH presoak or detergent in the 2-step low pH/high pH wash process. Leaves a streak free surface. Excellent for use in both frictionless in-bay automatics, and friction assisted conveyor car washes. Formulated with ecco rinse technology.

Recommended Application: Automated Rollover / Tunnel Wash Systems

pH: 14

Dilution: 1:120-1:300



Mach One

Ref No. 4622

Hard Water High Foaming Presoak

A special hard water alkaline high foaming liquid body shampoo that is designed to penetrate road film in friction wash applications. This product is a stronger cleaner and foamier than most alkaline detergents allowing the product to carry through friction and touchless systems.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 14

Dilution: 1:120-1:250

PRESOAKS

HIGH PH



Ultra 103

Ref No. 4763

Concentrated High Foaming Presoak

A unique alkaline high foaming liquid body shampoo that is designed to penetrate road film in friction wash applications. This product is a stronger cleaner and foamier than most alkaline detergents allowing the product to carry through friction cleaning material while maintaining its cleaning and lubricating potential.

Recommended Application: Automated Rollover / Tunnel Wash Systems

pH: 14

Dilution: 1:300-1:600



Supreme

Ref No. 1032

Deep Cleaning Non Hazardous Presoak

A non hazardous presoak detergent that starts breaking down road film on contact. Designed for high and low pressure application. Contains chelating agents for hard water applications. Formulated for safe use on all OEM surfaces.

Recommended Application: Manual Wash System / High Pressure Wand

pH: 12.5

Dilution: 1:120-1:250



HP Presoak

Ref No. 4722

Premium High Foaming Neutral Presoak

Neutral foaming liquid presoak that is designed to be used in friction and manual applications. This product is a neutral strength cleaner used to loosen road film in prep gun and presoak applications. Its neutral properties make it a safe product to apply to vehicles in any conditions.

Recommended Application: Manual Wash System / High Pressure Wand

pH: 7

Dilution: 1:200-1:400

Pro Tip

We have found that when using a Low pH / High pH two-step application process, the best results are when the Low pH product is applied first followed by the Alkaline Presoak with double the strength of the Low pH product. This is not a rule, however, some operators have found they get the best results by applying the Alkaline Presoak first. We recommend trying both processes to see which works best in your geographic area and for your customers.

When both Alkaline and Acidic Presoaks are applied to the same surface, there is neutralization that takes place. When one is applied, it combines with the dirt and then the second product is applied reacting with both the opposite presoak and the dirt, increasing the removal of dirt. The neutralization reaction in this instance is a benefit not a drawback.



PRESOAKS

LOW PH



Venture

Ref No. 4620

High Foaming High Acid Presoak

A heavy duty non HF acid based presoak for use in automatic wash system. Penetrates deep into dirt and road film, instantly breaking the bond between dirt and the surface. High foaming and easier neutralization for better cleaning and presentation.

Recommended Application: Automated Rollover / Tunnel Wash Systems

pH: 1

Dilution: 1:200-1:400



FS-1

Ref No. 4618

High Foaming Acid Presoak

An acid based presoak for use as a step one in automatic wash system. Penetrates deep into dirt and road film, instantly breaking the bond between dirt and the surface. High foaming and easier neutralization for better cleaning and presentation.

Recommended Application: Automated Rollover / Tunnel Wash Systems

pH: 1

Dilution: 1:120-1:250



Citrix

Ref No. 4626

High Foaming Non Hazardous Low pH Presoak

A vibrant non corrosive low pH presoak. This special formula contains no harsh acids. This product produces a rich thick citrus foam to carry away surface debris. Prepares surfaces for the detergent and rinse cycles. Rinses easily to prevent foam from carrying through to other stages of the wash.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 1-2

Dilution: 1:200-1:400



Formula One

Ref No. 0510

Non Hazardous Low pH Presoak

A low pH non hazardous presoak cleaner that penetrates deep into dirt and road film, dissolving the bond between dirt and the surface. This product contains no harsh acids. This product prepares surfaces for foamers and drying agents, making the process more effective.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 1

Dilution: 1:150-1:300

FOAMERS

BODY SHAMPOO



Synergy

Ref No. 4640

Premium High Foaming Detergent

A premium high foaming liquid neutral detergent that provides lubrication to any brush or cloth system to help eliminate scratching and friction. Foam will break fast making rinsing fast and easy. This product can be applied through a foamer or onto the bristles as a direct lubricant. Multiple fragrances and colors available.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 7-8

Dilution: 1:200-1:400



FX

Ref No. 4641

Multi Purpose High Foaming Detergent

A high foaming liquid neutral detergent that provides lubrication to any brush or cloth system to help eliminate scratching and friction. Foam will break fast making rinsing fast and easy. This product can be applied through a foamer or onto the brushes as a direct lubricant. Multiple fragrances and colors available.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 7-8

Dilution: 1:100-1:300



Foam Brush

Ref No. 4647

Lubricating Foam Brush Detergent

A high foaming liquid neutral detergent for use in manual wash systems. This product contains special lubricating materials that will provide lubrication to any brush, helping eliminate scratching. The high foam is stable and very easy rinsing. As foam runs off, dirt is carried away with it. Multiple fragrances and colors available.

Recommended Application: Tunnel / Manual Wash Systems

pH: 7-8

Dilution: 1:150-1:300



Lubricity

Ref No. 4650

Lubricating Detergent For Tunnel Systems

A vibrant high foaming liquid detergent that provides lubrication and protection to any brush or cloth system to help eliminate scratching and friction. Contains special glycols that keep brushes from sticking or over rubbing surfaces. The high foam is stable and very easy rinsing. Multiple fragrances and colors available.

Recommended Application: Automated Rollover / Tunnel Wash Systems

pH: 7-8

Dilution: 1:150-1:400

FOAMERS

HAND & BUCKET WASH



XTR Plus

Ref No. 1503

All Purpose High Foaming Hand Wash Detergent

An environmentally formulated high foaming hand vehicle wash. Quickly removes dirt and road film from surfaces while adding lubricity to brushes for added performance and surface protection. This product is great for use on site as a prep detergent or as a one step in fleet washing.

pH: 7

Dilution: 2-4 oz / Gallon



XTR-1000

Ref No. 1507

Concentrated Hand Wash Detergent

A super concentrated environmentally formulated high foaming hand vehicle wash. Quickly removes dirt and road film from surfaces while adding lubricity to brushes for added performance and surface protection. This product is great for use on site as a prep detergent or as a one step in fleet washing.

pH: 7

Dilution: 1-2 oz / Gallon



Wash & Wax

Ref No. 1511

High Foaming Hand Wash & Wax Detergent

This high foaming detergent will provide cleaning power as well as lubricity to brushes to help prevent scratching and streaking. Formulated with special polymers and carnauba for added performance and protection. Surfaces will sparkle after vehicle is cleaned.

pH: 1

Dilution: 2-4 oz / Gallon



Prep

Ref No. 1054

High Foaming Bucket Soap

A liquid high foaming vehicle wash which can be used in automatic conveyor and hand wash applications. A favorite in Auto Dealer Prep Wash Bays and Detail Shops Wash Bays. This high foaming soap works well as a cloth lubricant and great in Foamer Applicators. Allows for easy, free-rinsing and delivers a bright shine to every vehicle.

pH: 1

Dilution: 2-4 oz / Gallon

FOAMERS

POLISHES & CONDITIONERS



XT-2

Ref No. 4635

Premium Triple Foam Conditioner

A premium high foaming triple foam conditioner. Provides a deep vibrant wet foam that rinses quickly and easily. PH balanced for easy use in any wash system on both brushes and cloth. Contains special lubricating agents to maintain optimal performance of brushes.

Recommended Application: Automated Rollover / Tunnel Wash Systems

pH: 3-4

Dilution: 1:100-1:250

Available Fragrances: Cherry Blossom, Melon Fields, Grape Vine
Green Apple, Pina Colada, Bubble Gum



Xtreme

Ref No. 4633

High Foaming Triple Foam Polish

A premium high foaming triple foam polish. Deep vibrant foam hangs on vehicle for optimal visual appearance then rinses quickly and easily. Contains special lubricating agents and siliconized polymers to help maintain optimal performance of brushes while leaving behind surface protectants.

Recommended Application: Automated Rollover / Tunnel Wash Systems

pH: 3-4

Dilution: 1:100-1:250

Available Fragrances: Cherry Blossom, Melon Fields, Grape Vine
Green Apple, Pina Colada, Bubble Gum



TriFoam

Ref No. 4634

High Foaming Triple Foam Conditioner

A high foaming low pH triple foam conditioner. Provides a deep vibrant wet foam that rinses quickly and easily. Contains special lubricating agents to help maintain optimal performance of brushes.


Recommended Application: Automated Rollover / Tunnel Wash Systems

pH: 7

Dilution: 1:100-1:150

Pro Tip

Triple Foams can be used in both the wash end and the wax end of the carwash. Applied in the wash end, a triple foam has some conditioning properties, lubricates cloths, and adds to customer experience. When added after the high-pressure rinse, it will function similarly to a clear coat protectant. Effective in both applications is the use of a low pH product. This will help neutralize any alkaline residue from the presoaks and help enhance the drying cycle. Surfaces without alkalinity will break the water faster and more effectively from the surface.



DRYING

DRYING AGENTS



Super Dry

Ref No. 4732

Premium Super Concentrated Drying Agent

A premium concentrated drying agent and spray wax. This product will deliver quality beading and drying at an economical dilution. Hydrophobic drying aids repel water to quickly dry vehicle surfaces. Enhances any wax or sealant coat for improved longevity with a high-gloss shine. Available in multiple fragrances.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems
pH: 7 **Dilution:** 1:300-1:500



Chamois Dry

Ref No. 4662

Premium Drying Agent

An all new highly concentrated drying agent & spray wax. Super Dry provides superior drying at an economical dose. Vehicle surfaces will be left water and spot free. Watch the water bead off immediately.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems
pH: 7 **Dilution:** 1:300-1:500



Desert Dri

Ref No. 4664

Spray Wax & Drying Agent

A multi purpose drying agent and spray wax. This product will deliver quality beading and drying at an economical dilution. Hydrophobic drying aids repel water to quickly dry vehicle surfaces. Versatile enough to be used in almost any car wash application. Available in multiple fragrances.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems
pH: 7 **Dilution:** 1:250-1:500



Quick Dry

Ref No. 4667

Multi-Purpose Drying Agent & Spray Wax

A multi purpose drying agent and spray wax. This product will deliver quality beading and drying at an economical dilution. Hydrophobic drying aids repel water to quickly dry vehicle surfaces. Versatile enough to be used in almost any car wash application.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems
pH: 7 **Dilution:** 1:150-1:300

PROTECTANT

TOTAL SURFACE PROTECTANTS



Luster

Ref No. 4660

Complete Surface Protectant

A premium drying agent and surface protectant in one product. Contains special polymers, builders, and siliconized carnauba that not only bead water from the surface during the drying cycle, but will provide protection to glass and surfaces after the vehicle has dried. Contains UV protectants for added protection.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 7

Dilution: 1:250-1:500



Protect

Ref No. 4666

Clear Coat & UV Surface Protectant

A vanilla clear coat sealer that will provide surface protection and luster to any clear coat surface. Provides enough drying power to be used as a one step product or can be used in conjunction with a drying agent in a double arch system. Will aid in slowing the build up of dirt and road film on the surface.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 7

Dilution: 1:250-1:500



Showtime

Ref No. 4666

High Foaming Surface Protectant

A concentrated lubricating vibrant foam especially designed to polish and shine as it cleans. This non-abrasive formula is free-rinsing and contains UV protection. Adds water repellency, increasing performance and quality of the drying cycle.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 6-7

Dilution: 1:100-1:300



Repel

Ref No. 3859

Glass & Surface Protectant & Water Repellent

A revolutionary blend of additives that repel rain, water and dirt from windshields and clear coats. Allows for better vision during rain and snowy driving conditions. Vehicle surfaces will bead looking freshly waxed. Water beads immediately off the vehicle without water spotting.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 7

Dilution: 1:100-1:300

CERAMIC PROTECTANTS

Total Long Lasting Surface Protection For Vehicles

- Magnified Shine
- Premier Water Beading
- UV Protection

Formulated with Nano
Technology Including...
SiO₂, TiO₂, Graphene



What is Ceramic GUARD Technology?

A premium long lasting surface coating and UV protectant for vehicle surfaces using nano technology. This advanced coating bonds with the vehicles surface to provide long lasting protection. Surfaces have a deep reflective shine that make colors deep and vibrant.

Make the color on the vehicle deeper and more vibrant for months.

Seals surfaces providing water beading and hydrophobic surfaces.

Keeps glass and windshields clean and protects for weeks after application.





Part Number: 4766

RhinoCoat

CERAMIC TOTAL BODY PROTECTANT



PROTECTION LASTS FOR MONTHS

What is RhinoCoat?

A Total Surface Protectant for vehicle surfaces infused with nano technology and siloxanes that leaves behind long lasting, deep color protection and incredible gloss. RhinoCoat offers a premium level of protection alone, leaving a silica-rich film behind that helps repel water, dirt, and other pollutants, keeping your car cleaner longer in automatic car wash equipment. Use it on a non-coated car to add water beading properties, or on a coated car to revitalize the existing coating and protection.



TOTAL PROTECTION

CERAMIC PROTECTANTS

Part Number: 4770



RHINO F3



CERAMIC INFUSED FOAMING PROTECTANT

Rhino F3 offers all of the benefits of the extreme polish but is infused with ceramic nano-technology. The polish coats your vehicle in foam while providing a silky smooth shiny finish. Adds UV protection and enhanced drying characteristics. Builds shine with every application.

pH=4 | Dilution=200-400:1 | Color=Multiple

Part Number: 4771



RHINO FUSION



CERAMIC & GRAPHENE INFUSED FOAM DETERGENT

Rhino Fusion is a high foaming protectant infused with cleaning properties and ceramic guard technology to provide superior durability, more clarity and it gives the vehicle a smooth, silky surface. For use in lava foam applicators.

pH=7 | Dilution=150-300:1 | Color=Purple

Part Number: 4778



RHINO GLAZE



CERAMIC & GRAPHENE INFUSED COMPLETE SURFACE PROTECTANT

Rhino Glaze is a multi level formulation combining drying, beading, and protection. Leaves a shiny, silky look and feel to the exterior. It creates a deeper, better shine and strong, durable finish. Ultra can be used in the tunnel as a drying agent or as a stand-alone product.

pH=7 | Dilution=300-600:1 | Color=Blue

Part Number: 4772



RHINO 3X COMPLETE

CERAMIC INFUSED FOAMING PROTECTANT

Rhino 3X Protectant uses the power of Graphene Oxide based to provide a coating that will provide a high level of protection longer than Ceramic protectants. With a continued focus on ceramic-based cleaners and coatings the car wash in graphene based products provide a high level of protection, so automobile enthusiasts have little choice but to take notice if they want to keep their cars looking sharp.

pH=4 | Dilution=200-600:1 | Color=Blue

Part Number: 4779



RHINO SHINE

CERAMIC INFUSED TIRE DRESSING

Rhino Tire Shine uses the power of Graphene Oxide based to provide a special coating to rubber that will provide a longer level of gloss and UV protection than traditional tire dressing. With a continued focus on ceramic-based cleaners and coatings the car wash in graphene based products provide a high level of protection, so automobile enthusiasts have little choice but to take notice if they want to keep their cars looking sharp.

pH=7 | Dilution=RTU | Color=White

THE GRAPHENE ADVANTAGE:

The coating contains a black graphene oxide powder. This component enhances the surface underneath, rather than just adding a glossy layer on top. This means that while it will add gloss and depth to a glossy surface, it will not do so to a matte surface. Therefore, it can be used on matte surfaces without affecting the finish. Graphene's thermal properties allow it to be applied in direct sunlight easily and without the worry of high spots, streaking, or a difficult buffing process. These same thermal properties also help prevent hard water spots from occurring. The graphene layer absorbs the heat, keeping the paint underneath cool, helping to prevent the hard water spots from etching into the clear coat. If water spots do occur, they should easily be wiped off. It is safe and effective on various surfaces, including paint, glass, wheels, plastic, and metal.

WHEELS

WHEEL & TIRE CLEANERS



4602 Rimz

Ref No. 4602

Acid Based Wheel & Brake dust Remover

An economical acid based wire and wheel cleaner and brightener. Watch heavy brake dust and road grime melt away in front of your eyes. This product will act instantly, allowing uses in the shortest of application areas. Contains special inhibitors to help protect wheels and application areas.

Recommended Application: Tunnel Wash Systems

pH: 1

Dilution: 1:6-1:36



4619 Wheel Brite

Ref No. 4618

Non HF Acid Wheel Clenaer

An economical phosphoric acid based wire and wheel cleaner and brightener. Watch heavy dirt and road grime melt away in front of your eyes. This product will act instantly, allowing uses in the shortest of application areas. Contains special inhibitors to help protect wheels and application areas.

pH: 1

Dilution: 1:6-1:36



4600 Wheel Cleaner

Ref No. 4600

Heavy Duty Alkaline Wheel & Tire Cleaner

A premium heavy duty alkaline wheel cleaner that cleans and penetrates white walls and tires without the use of harsh acids. Breaks down the bond between dirt and wheels, making removal easy and quick. Penetrates deep into whitewalls to leave them looking new.

Recommended Application: Tunnel Wash Systems

pH: 14

Dilution: 1:6-1:36



4604 Wheel Magic

Ref No. 4604

Non Hazardous Wheel Cleaner

A premium high foaming fragrant tire and wheel cleaner. This product is non hazardous making it safe to use on all OEM wheels and any application. Formulated with high foaming detergents at add eye appeal as well as lubricity to brushes in manual systems. High levels of fragrance provide enhanced customer satisfaction.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 12

Dilution: 1:10-1:36

WHEELS

TIRE DRESSINGS & PROTECTANTS



Krystal Blue

Ref No. 2427

Premium Tire Shine For Automated Applicators

A premium long lasting solvent based tire dressing for use in automated foam applicator systems. This advanced formulation will leave a long lasting deep shine on tires after application without slinging. Special silicones will not leave behind a sticky residue, eliminating the buildup of dust and dirt on wheels and tires. Quick leveling and fast drying prevent build up and spotting on surfaces.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 7

Dilution: Ready To Use



Black Beauty

Ref No. 1048

Solvent Based Tire & Trim Dressing

An economical long lasting solvent based tire dressing. This advanced formulation will leave a long lasting deep shine on tires after application. Special silicones will not leave behind a sticky residue, eliminating the buildup of dust and dirt on wheels and tires. Quick leveling and fast drying prevent build up and spotting on surfaces.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: NA

Dilution: Ready To Use



2433 Tire Shine

Ref No. 2433

High Gloss Water Based Tire Shine

A concentrated high gloss, high viscosity, fast drying and long lasting water based tire dressing. This product works extremely well when applied by hand using a brush or applicator pad. Will not sling onto the side of vehicles.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 7

Dilution: Ready To Use



ULTRA

ULTRA CONCENTRATED SYSTEM



Ultra 130

Ref No. 4730

Concentrated Alkaline Presoak

A fast rinsing alkaline presoak detergent that will provide quick and effective results. Starts breaking down road film on contact. Contains chelating agents and emulsifier for hard water applications. Specially formulated for operators who need a one step fast acting product.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 14

Dilution: 1:300-1:600



Ultra 103

Ref No. 4763

Concentrated Low pH Presoak

A low pH non hazardous presoak cleaner that penetrates deep into dirt and road film, dissolving the bond between dirt and the surface. This product contains no harsh acids. This product prepares surfaces for foamers and drying agents, making the process more effective.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 1

Dilution: 1:250-1:500



Ultra 106

Ref No. 4726

Concentrated High Foaming Low pH Presoak

A safe and non-corrosive low pH high foaming presoak which can be used in Automatic Conveyor and Hand Wash applications. This high foaming soap works well as a cloth lubricant and great in Foamer Applicators. The low pH allows for easy, free-rinsing and delivers a bright shine.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 2

Dilution: 1:300-1:600



Ultra 226

Ref No. 4726

Concentrated High Foaming Body Shampoo

A liquid high foaming vehicle wash which can be used in automatic conveyor and hand wash applications. A favorite in Auto Dealer Prep Wash Bays and Detail Shops Wash Bays. This high foaming soap works well as a cloth lubricant and great in Foamer Applicators. Free-rinsing and delivers a bright shine to every vehicle.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 7

Dilution: 1:300-1:600

ULTRA

ULTRA CONCENTRATED SYSTEM



Ultra 505

Ref No. 4759

Concentrated Foaming Protectant

A concentrated lubricating vibrant foam especially designed to polish and shine as it cleans. This non-abrasive formula is free-rinsing and contains UV protection. Adds water repellency increasing performance and quality of the drying cycle.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 6-7

Dilution: 1:300-1:600



Ultra 768

Ref No. 4768

Concentrated Total Surface Protectant

A premium drying agent and surface protectant containing special polymers, builders, and siliconized carnauba that not only bead water from the surface during the drying cycle, but will provide continued protection to glass and surface. Contains UV protectants for added protection.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 7

Dilution: 1:600-1:900



Ultra 632

Ref No. 4732

Concentrated Drying Agent

A premium drying agent that not only forces water to bead from the surface during the drying cycle, but will provide continued protection to glass and surface. Contains UV protectants for added protection.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 7

Dilution: 1:600-1:900



Ultra 803

Ref No. 4765

Concentrated Ceramic Protectant

A Total Surface Protectant infused with nano technology and siloxanes that leaves behind long lasting, deep color protection and incredible gloss. Leaves behind a silica-rich film behind that helps repel water, dirt, and other pollutants, keeping your car cleaner longer.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 7

Dilution: 1:600-1:900

ULTRA

ULTRA CONCENTRATED SYSTEM



Ultra 437

Ref No. 4737

Concentrated Triple Foam Polish

A premium high foaming triple foam polish. Deep vibrant foam hangs on vehicle for optimal visual appearance then rinses quickly and easily. Contains special lubricating agents and siliconized polymers to help maintain optimal performance of brushes while leaving behind surface protectants

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 3-4

Dilution: 1:300-1:600



Ultra 435

Ref No. 4727

Concentrated Triple Foam Conditioner

A premium high foaming triple foam conditioner. Deep vibrant foam hangs on vehicle for optimal visual appearance then rinses quickly and easily. Contains special lubricating agents to maintain optimal performance of brushes while leaving behind surface protectants

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 3-4

Dilution: 1:300-1:600



Ultra 52

Ref No. 4752

Concentrated Alkaline Wheel Cleaner

A premium heavy duty alkaline wheel cleaner that cleans and penetrates white walls and tires without the use of harsh acids. Breaks down the bond between dirt and wheels, making removal easy and quick. Penetrates deep into whitewalls to leave them looking new.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 3-4

Dilution: 1:34-1:67



INJECTables

**POWERFUL FRESH SCENT
INJECTABLE FRAGRANCES**

CUSTOMIZE YOUR CARWASH FOR YOU

INJECTables

Concentrated Fragrance For Car Washes

A highly concentrated fragrance formulated specially for car wash applications. This product can be injected directly into the wash tunnel for optimal appeal or can be injected into detergent lines at the applicator site.

Part Number: 3860

pumpkin pie



chewy candy



waterlilly



pine tree



gingerbread



apple blossom



banana cream



black cherry



bubble gum



grapevine



When you want to customize your wash to meet your customers needs look to INJECTables. Powerful fragrances that you can inject into arches to offer increased customer appeal and product specialization. Make your car wash stand out and different from the rest. Choose fragrances for the season and create an experience for your customer. You know your customers best!

juicyfruit



lemondrop



ocean breeze



outdoorfresh



peppermint



VISION

SELF SERVE CONCENTRATES



Vison Bubble Bath

Ref No. 4700

High Foaming High Pressure Detergent

An ultra concentrated foaming liquid detergent that is used for high-pressure soap settings in a self-serve car wash. Used with a premixing or direct feed metering system and applied to the entire automobile surface with a high-pressure spray gun.

Available In: Bubble Gum, Grapevine, Berry Blast, Creamsicle

Recommended Application: Manual Wash Systems

pH: 10

Dilution: 1:200-1:300



Vision Presoak

Ref No. 4702

High Pressure Presoak

Foaming presoak detergent. This product will quickly remove dirt, grease, proteins, and other road film buildup from vehicle surfaces.

Recommended Application: Manual Wash Systems

pH: 10.5

Dilution: 1:200-1:300



Vision Bubble Brush

Ref No. 4705

High Foaming Detergent For Brushes

High foaming liquid neutral detergent containing special lubricating materials that will provide lubrication to any brush, helping eliminate scratching.

Available In: Cherry, Creamsicle, Vanilla

Recommended Application: Manual Wash Systems

pH: 7

Dilution: 1:600-1:900



Vision Protectant

Ref No. 4709

Foaming Scented Drying Agent & Protectant

A vanilla clear coat sealer that will provide surface protection and luster to any clear coat surface. Provides enough drying power to be used as a one step product or can be used in conjunction with a drying agent in a double arch system. Will aid in slowing the build up of dirt and road film on the surface.

Recommended Application: Manual Wash Systems

pH: 7

Dilution: 1:600-1:900

VISION

SELF SERVE CONCENTRATES



Vision Triple Foam

Ref No. 4707

Scented Triple Foam Detergent

High foaming vibrant triple polish. This product contains special surface protectants will leave vehicles shiny and smooth after applications.

Recommended Application: Manual Wash Systems

pH: 7

Dilution: 1:600-1:900



Vision Drying Agent

Ref No. 4710

Concentrated Drying Agent

A vanilla clear coat sealer that will provide surface protection and luster to any clear coat surface. Provides enough drying power to be used as a one step product or can be used in conjunction with a drying agent in a double arch system. Will aid in slowing the build up of dirt and road film on the surface.

Recommended Application: Automated Rollover / Tunnel / Manual Wash Systems

pH: 7

Dilution: 1:600-1:900



What are Vision Concentrates?

A specially formulated line of detergents formulated for those looking for highly concentrated products that yield an economical use cost. These vibrant high foaming products are recommended and formulated to enhance customer appeal in manual wash applications.

All VISION products are available in 5 gallon pails. MOST can be diluted 5 gallons of concentrate to 10 gallons of water prior to use depending on tips available.

COMPLETE AUTOMOTIVE CLEANINGSOLUTIONS



Toll Free: 800.255.4050
24 Victory Lane, Dracut, MA 01826
www.syntecpro.com
sales@syntecpro.com

